
7-1-2015

Erratum: Low-Energy Electron-Impact Ionization of Argon: Three-Dimensional Cross Section (Physical Review A - Atomic, Molecular, and Optical Physics 85, 032702 (2012))

Xueguang Ren

Thomas Pfluger

Joachim Hermann Ullrich

Oleg I. Zatsarinny

et. al. For a complete list of authors, see http://scholarsmine.mst.edu/phys_facwork/1525

Follow this and additional works at: http://scholarsmine.mst.edu/phys_facwork



Part of the [Physics Commons](#)

Recommended Citation

X. Ren et al., "Erratum: Low-Energy Electron-Impact Ionization of Argon: Three-Dimensional Cross Section (Physical Review A - Atomic, Molecular, and Optical Physics 85, 032702 (2012))," *Physical Review A - Atomic, Molecular, and Optical Physics*, vol. 92, no. 1, American Physical Society (APS), Jul 2015.

The definitive version is available at <https://doi.org/10.1103/PhysRevA.92.019901>

This Erratum is brought to you for free and open access by Scholars' Mine. It has been accepted for inclusion in Physics Faculty Research & Creative Works by an authorized administrator of Scholars' Mine. This work is protected by U. S. Copyright Law. Unauthorized use including reproduction for redistribution requires the permission of the copyright holder. For more information, please contact scholarsmine@mst.edu.

Erratum: Low-energy electron-impact ionization of argon: Three-dimensional cross section [Phys. Rev. A **85**, 032702 (2012)]

X. Ren, T. Pflüger, J. Ullrich, O. Zatsarinny, K. Bartschat, D. H. Madison, and A. Dorn
(Received 24 June 2015; published 13 July 2015)

 DOI: [10.1103/PhysRevA.92.019901](https://doi.org/10.1103/PhysRevA.92.019901)

PACS number(s): 34.80.Dp, 99.10.Cd

A similar experimental cross-normalization error as reported in Ren *et al.* [1] was discovered in the evaluation of the low-energy ($E_0 = 70.8$ eV) results published in the above paper for electron-impact single ionization of a $3p$ electron in argon. A revised version of Fig. 2 is given here. It shows that the B -spline R -matrix model for these kinematics qualitatively reproduces both the overall shape and the relative magnitude of the experimental data in the three-dimensional plots of the triple-differential cross section when the $\sin \theta_1$ factor in the solid-angle element for the detection angle of the fast (scattered) electron is properly accounted for. Nevertheless, not all the details of the measurements are reproduced by any of the theories after simply rescaling the experimental data by $\sin \theta_1 / \sin \theta_n$, where $\theta_n (=8^\circ$ in the original paper) is the angle at which the experiment was normalized to the BSR theory.




FIG. 2. (Color online) Three-dimensional presentation of the triple-differential cross section for single ionization of Ar ($3p$) by 70.8 eV electron impact as a function of the emission angle of an electron with kinetic energy $E_2 = 3$ eV (± 1.0 eV) and different projectile scattering angles (θ_1). (a) and (b) $\theta_1 = -8^\circ$ ($\pm 1.5^\circ$), (c) and (d) $\theta_1 = -10^\circ$ ($\pm 2.0^\circ$), (e) and (f) $\theta_1 = -15^\circ$ ($\pm 2.5^\circ$), (g) and (h) $\theta_1 = -20^\circ$ ($\pm 3.0^\circ$), (i) and (j) $\theta_1 = -25^\circ$ ($\pm 3.0^\circ$), and (k) and (l) $\theta_1 = -30^\circ$ ($\pm 3.5^\circ$). Left column: experiment. Right column: B -spline R -matrix with pseudostates (BSR) theory.

[1] X. Ren, A. Senftleben, T. Pflüger, J. Ullrich, K. Bartschat, and A. Dorn, *Phys. Rev. A* **89**, 029904(E) (2014).