

01 Dec 2019

## A Systems Factorial Technology Dataset using Visual and Tactile Cues to Guide Balance

Devin Michael Burns

Missouri University of Science and Technology, burnsde@mst.edu

Follow this and additional works at: [https://scholarsmine.mst.edu/psysci\\_facwork](https://scholarsmine.mst.edu/psysci_facwork)



Part of the [Psychology Commons](#)

---

### Recommended Citation

Burns, D. M. (2019). A Systems Factorial Technology Dataset using Visual and Tactile Cues to Guide Balance. *Data in Brief*, 27 Elsevier Inc..

The definitive version is available at <https://doi.org/10.1016/j.dib.2019.104573>



This work is licensed under a [Creative Commons Attribution 4.0 License](#).

This Article - Journal is brought to you for free and open access by Scholars' Mine. It has been accepted for inclusion in Psychological Science Faculty Research & Creative Works by an authorized administrator of Scholars' Mine. This work is protected by U. S. Copyright Law. Unauthorized use including reproduction for redistribution requires the permission of the copyright holder. For more information, please contact [scholarsmine@mst.edu](mailto:scholarsmine@mst.edu).



ELSEVIER

Contents lists available at ScienceDirect

## Data in brief

journal homepage: [www.elsevier.com/locate/dib](http://www.elsevier.com/locate/dib)



### Data Article

# A Systems Factorial Technology dataset using visual and tactile cues to guide balance



Devin Burns

Missouri University of Science and Technology, USA

#### ARTICLE INFO

##### Article history:

Received 3 July 2019

Received in revised form 19 August 2019

Accepted 16 September 2019

Available online 26 September 2019

##### Keywords:

Systems factorial technology

Workload capacity

Balance

#### ABSTRACT

This data contains response times for 19 participants from a Systems Factorial Technology paradigm using visual and vibratory cues, as described in “The Balance Between Vision and Touch [1]”. These cues could indicate one of four directions, and participants responded by shifting their weight in that direction. This was detected using a Wii Balance Board. Each participant has 720 trials: 1/3 with only a haptic cue, 1/3 with only vision, and 1/3 with both. Cues were equally divided into high and low salience versions.

© 2019 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

## 1. Data

This data contains trial-by-trial response times and accuracy for nineteen participants in a redundant targets experiment where visual and or tactile stimuli cued responses which were provided by leaning in one of four directions on a balance board. Raw data files are provided with response time, stimulus salience, and trial/block number for each participant and session. Processing code and an aggregated, cleaned data set are also provided, along with analysis code for SFT analyses and a hierarchical Bayesian analysis following [2].

DOI of original article: <https://doi.org/10.1016/j.jmp.2019.06.001>.

E-mail address: [BurnsDe@mst.edu](mailto:BurnsDe@mst.edu).

<https://doi.org/10.1016/j.dib.2019.104573>

2352-3409/© 2019 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

Specifications Table

Subject area	Psychology
More specific subject area	Cognitive/Mathematical Psychology
Type of data	CSV files of trial by trial response time and accuracy
How data was acquired	An Arduino Mega received signals from a Wii balance board and recorded Center of Pressure data to determine responses.
Data format	Raw
Experimental factors	Direction of cue, salience (or absence) of each cue modality
Experimental features	There were 6 blocks of 60 trials for each of 2 30-min sessions for 19 participants
Data source location	Rolla, MO, USA
Data accessibility	In OSF repository: <a href="https://osf.io/chpqr/">https://osf.io/chpqr/</a>
Related research article	Burns, D. M. (in press). <i>The Balance Between Vision and Touch</i> . <i>Journal of Mathematical Psychology</i> [1].

---

#### Value of the data

- This data is suitable for Systems Factorial Theory (SFT) analysis for probing mental processing structures
  - SFT researchers can use this data for model testing and verifying new analyses
  - This experiment uses a novel “lean-to-respond” methodology that would be valuable to compare with traditional response-pad data
  - This data would be useful for examinations of the effect of base time, as the response modality takes longer to execute
- 

## 2. Experimental design, materials, and methods

This experiment employed the double factorial paradigm, where two different cues (one visual and one haptic) could either be high salience, low salience, or absent, yielding eight stimulus combinations (there were no absent-absent trials). Nineteen participants were recruited with the only participation criteria being that they were 18 or older and have no balance problems. All participants provided informed consent as approved by the Internal Review Board. Participants were asked to return for a second 30 minute session within seven days, but only 11 did so. All participants were compensated with \$5 for each session they completed.

For the vibrotactile feedback, we designed and built an adjustable belt with four vibration motors positioned around it on the left and right sides of the front and back of the body. This belt was connected via bluetooth and controlled by an Arduino micro-controller, which was synchronized with a computer connected to a CRT monitor. This monitor displayed experimental instructions and feedback, as well as displaying visual cues in the form of small red circles. These circles appeared in one of the four corners of a white square in the middle of the screen, with the top left corner signifying that participants should lean forward and to the left. Participants were positioned 66 cm from a CRT monitor such that the white square subtended approximately  $8^\circ$  of visual angle, with the circles sized at  $1^\circ$ . In order to balance cue strength, high salience visual cues were displayed at only 8% opacity, while low salience were displayed at 3%. High salience vibrations were driven at 5 V and low were driven at 2 V.

Participants were then shown a demo screen that displayed how their CoP moved when they shifted their weight. When they were ready to proceed, they were given 16 practice trials, two of each possible stimulus combination. If they had no further questions, the experimenter left the room and they proceeded with the first of six blocks of trials.

Each block had 60 trials: 20 redundant trials where both types of cues were presented, and 20 single target trials with only a visual cue, and 20 trials with just a haptic cue. The trials were distributed in this way such that the presence of one cue carried no statistical information regarding the presence or absence of the other. The trials were then randomly shuffled within each block. The direction indicated by the cue was determined randomly for each trial, and for redundant trials both cues always indicated the same direction.

On every trial, a fixation cross was displayed for a randomly generated time between 500 and 1000 ms. After this time, a cue was presented either on screen, through the belt, or both. Cues remained present for 3 seconds or until a response was issued. If no response was detected within the 3 seconds, a “time out” was declared and the next trial began. Responses were determined by averaging the weight at each corner within a moving window containing the most recent 20 samples taken at 100 hz (so 200 ms). A response was declared when the weight at one corner increased by 10% above its baseline value, and the response time was recorded as the elapsed time since the cue was turned on. In the chance that two corners both increased above the threshold at the same time, the one that increased more was deemed to indicate the response.

Data for all participants is included even those who only completed one session, as well as code for processing and cleaning the data. More procedural and analysis details can be found in Ref. [1].

### **Acknowledgments**

The author would like to thank Vincent Marco for his development and troubleshooting of the vibration belt and Wii Balance Board integration.

### **Conflict of Interest**

The author declares that he has no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

### **References**

- [1] D.M. Burns, The balance between vision and touch, *J. Math. Psychol.* (2019), <https://doi.org/10.1016/j.jmp.2019.06.001>. In press.
- [2] J.W. Houpt, A. Heathcote, A. Eidels, Bayesian analyses of cognitive architecture, *Psychol. Methods* 22 (2) (2017) 288–303.